

## The University of Texas at Tyler LABORATORY SELF-EVALUATION FORM

LS/PI Name:		Evaluation Date:	
Department:		Building / Room:	
Brief description of lab/material associated hazards:			
Lab Safety: (check if assessed)	<ul> <li>Lab-Specific Chemical Hygie</li> <li>Chemical Inventory Current</li> <li>SDS Current</li> <li>Chemicals Properly Labeled</li> <li>Lab Signage / Emergency Interpretation</li> </ul>	·	
Risk Assessment: (check if assessed)	<ul> <li>Chemical Quantity/Concentral</li> <li>Potential Hazards (Chemical</li> <li>Routes of Exposure</li> <li>Chemical PEL/TLV</li> </ul>		
Control Measures: (check all that apply)	<ul> <li>Engineering Controls</li> <li>Work Practices / SOPs / Administrative Controls</li> <li>PPE / Special Equipment</li> <li>Cleanup / Decontamination Procedures</li> <li>Transportation Procedures</li> <li>Storage Procedures (Container Compatibility / Chemical Segregation)</li> </ul>		
Emergency Procedures: (check all that apply)	<ul> <li>Chemical Spill or Release</li> <li>Spill Kit</li> <li>Fire</li> <li>Emergency Shut-off</li> <li>Emergency Shower/Eyewasl</li> <li>Exposure / First Aid</li> </ul>	h	
Waste Disposal: (check if assessed)	<ul> <li>Accumulation Storage Area</li> <li>Chemical Waste</li> <li>Bio-waste</li> <li>Sharps</li> <li>Broken/Contaminated Glass</li> </ul>		
Special Hazards (check all that apply)	<ul><li>Lasers</li><li>Radioactive Material</li><li>Special Equipment (Autoclav</li></ul>	ves, Centrifuges, Machinery	, etc.)
LS/PI Signature:			Date:
Director of EH&S Signature:			Date: